



IP65	
RoHS	
Series	2N12
	2N24
3N12	3N24





Unit : mm

MOTOR	REFERENCES	POWER	VOLTAGES	WIRING	A	L
2N12	W801712	550W	12	INSULATE RETURN (MOTOR WITH 2 TERMINALS)	Ø 80	171
2N24	W801724	550W	24	INSULATE RETURN (MOTOR WITH 2 TERMINALS)	Ø 80	171
3N12	W802712	800W	12	INSULATE RETURN (MOTOR WITH 2 TERMINALS)	Ø 80	171
3N24	W802724	800W	24	INSULATE RETURN (MOTOR WITH 2 TERMINALS)	Ø 80	171

IP44

Series	
CE12	CE24
SE12	SE24





Unit : mm

MOTOR	REFERENCES	POWER	VOLTAGES	WIRING	A	L
CE12	W800612	1500W	12	EARTH RETURN (MOTOR WITH 1 TERMINALS)	Ø 114	170
CE24	W800624	2000W	24	EARTH RETURN (MOTOR WITH 1 TERMINALS)	Ø 114	170
SE12	W820612	1500W	12	EARTH RETURN (MOTOR WITH 1 TERMINALS)	Ø 114	170
SE24	W820624	2000W	24	EARTH RETURN (MOTOR WITH 1 TERMINALS)	Ø 114	170

IP44



Series	CN12	CN24
	SN12	SN24



Unit : mm

MOTOR	REFERENCES	POWER	VOLTAGES	WIRING	A	L
CN12	W801012	1500W	12	INSULATE RETURN (MOTOR WITH 2 TERMINALS)	Ø 114	170
CN24	W801024	2000W	24	INSULATE RETURN (MOTOR WITH 2 TERMINALS)	Ø 114	170
SN12	W821012	1500W	12	INSULATE RETURN (MOTOR WITH 2 TERMINALS)	Ø 114	170
SN24	W821024	2000W	24	INSULATE RETURN (MOTOR WITH 2 TERMINALS)	Ø 114	170



IP55		Series	PN12
			PN24
RoHS			



Unit : mm

MOTOR	REFERENCES	POWER	VOLTAGES	WIRING	A	L
PN12	W822612	1600W	12	INSULATE RETURN (MOTOR WITH 2 TERMINALS)	Ø 114	175
PN24	W822624	2200W	24	INSULATE RETURN (MOTOR WITH 2 TERMINALS)	Ø 114	175

Series	
LN12	LN24



Unit : mm

MOTOR	REFERENCES	POWER	VOLTAGES	WIRING	A	L
LN12	W800663	2500W	12	INSULATE RETURN (MOTOR WITH 2 TERMINALS)	136.4	204.6
LN24	W800664	3000W	24	INSULATE RETURN (MOTOR WITH 2 TERMINALS)	136.4	204.6